

GEFEG.FX EDI Guide Comparison

EDI Guide 1 : PROTECT IFTDGN; 2.2; DRAFT 9-2-2023 Author: M. van der Wiel
EDI Guide 2 : PROTECT IFTDGN; 2.1.4 4-2-2021 Author: PROTECT
Message type : IFTDGN

=====

EDI Guide 1			EDI Guide 2						
Obj	Se	Nr	pos	Obj	Se	Nr	pos		
UNH	00001	000	000	UNH	00001	000	000		* modified > moved
.Status			1						+ added - deleted
									<> not equal
0062	00001	000	000	0062	00001	000	000		
.Level2			1						"This reference must be unique for the me..."
0054	00001	004	004	0054	00001	004	004		* "22B" <> "20A"
.Code			1	.Code			1		* "22B;Release 2022 - B" <> "20A;Release 2020 - A"
0051	00001	005	005	0051	00001	005	005		
.Code			1						"UN;UN/CEFACT"
0057	00001	006	006	0057	00001	006	006		* "PROT20" <> "X"
.Status			1						"R"
.Code			2						"PROT20;"
0068	00001	007	007	0068	00001	007	007		"X"
S010	00001	008	008	S010	00001	008	008		"
0070	00001	009	009	0070	00001	009	009		"9"
0073	00001	010	010	0073	00001	010	010		"C"

EDI Guide 1			EDI Guide 2						
Obj	Se	Nr	pos	Obj	Se	Nr	pos		
BGM	00002	000	000	BGM	00002	000	000		* modified > moved
.Status			1						+ added - deleted
									<> not equal
C002	00002	000	000	C002	00002	000	000		
.Status			1						"R"
1001	00002	001	001	1001	00002	001	001		* "89N" <> "298"
.Status			1						"R"
.Semantic			2						"TANKER_NOTANKER"
.Code			3						"522;Dangerous Goods Notification for Tan..."
.Code			4						"523;Dangerous Goods Notification for non..."
.Mapping			5						"2;"
				.Code			1		"2;"
				.Code			2		"298;Dangerous goods list"
1131	00002	002	002	1131	00002	002	002		"
3055	00002	003	003	3055	00002	003	003		"
1000	00002	004	004	1000	00002	004	004		"X"
C106	00002	005	005	C106	00002	005	005		
.Status			1	.Status			1		* "R" <> "M"
1004	00002	006	006	1004	00002	006	006		
.Status			1						"R"
.Format			2						"an..35"
.Semantic			3						"MESSAGE_REFERENCE"
.Mapping			4						"1;"
1056	00002	007	007	1056	00002	007	007		"X"
1060	00002	008	008	1060	00002	008	008		"X"
1225	00002	009	009	1225	00002	009	009		
.Status			1	.Status			1		* "R" <> "N"
.Code			2						"1;Cancellation"
.CodeLevel2			3						"NOTE 1: Use of this code means that the ..."
.Code			4						"2;Addition"
.Code			5						"3;Deletion"
.Code			6						"4;Change"
.Code			7						"5;Replace"
.Code			8						"9;Original"
.Code			9						"33;Change in heading section"
.Semantic			10						"MESSAGE_FUNCTION_INDICATOR"
.Mapping			11						"36;"
4343	00002	010	010	4343	00002	010	010		"AA"
1373	00002	011	011	1373	00002	011	011		"1"
3453	00002	012	012	3453	00002	012	012		"aa"

EDI Guide 1			EDI Guide 2			* modified		> moved
						+ added		- deleted
Obj	Se	Nr pos	Obj	Se	Nr pos	<> not equal		
DTM	00003	000	DTM	00003	000	*		
.Status		1					"R"	
.MaxRep		2					"1"	
2005	00003	001	2005	00003	001	*	"137" <> "1"	
.Code		1					"137;Document issue date time"	
2380	00003	002	2380	00003	002			
.Status		1					"R"	
.Semantic		2					"MESSAGE_DATE/TIME"	
.Mapping		3					"34;"	
2379	00003	003	2379	00003	003	*	"203" <> "2"	
.Status		1					"R"	
.Code		2					"203;CCYYMMDDHHMM"	
=====								
EDI Guide 1			EDI Guide 2			* modified		> moved
						+ added		- deleted
Obj	Se	Nr pos	Obj	Se	Nr pos	<> not equal		
FTX	00004	000	FTX	00004	000	*		
.Name		1					"Free text (CHG)"	
.Status		2					"D"	
.MaxRep		3					"3"	
.Check		4					"If MESSAGE_FUNCTION_INDICATOR EQ "9", t..."	
4451	00004	000	4451	00004	000	*	"CHG" <> "AAA"	
.Code		1					"CHG;Change information"	
.Name		2					"Text subject qualifier"	
.Desc		3					"Code specifying subject of a free text."	
4453	00004	001	4453	00004	001	*	"X" <> "1"	
.Status		1					"X"	
.Format		2					"	
C107	00004	002	C107	00004	002			
.Status		1					"R"	
4441	00004	003	4441	00004	003	*	"CAM" <> "X"	
.Status		1					"R"	
.UserCode		2					"CAM;Change or cancellation because of mi..."	
.UserCode		3					"CAN;Cancellation because vessel does not..."	
.UserCode		4					"CAO;Cancellation because operation not c..."	
.UserCode		5					"CAV;Cancellation because vessel does not..."	
.UserCode		6					"CHB;Change of Berth. The berth(s) notifi..."	
.UserCode		7					"CHD;Change of date/times of means of tra..."	
.UserCode		8					"CHM;Change of mode of transport. Mode of..."	
.UserCode		9					"CHV;Change of means of transport. Means ..."	
.Name		10					"	
.Desc		11					"	
.CodeDesc		12					"Previous message contained mistake(s).\r..."	
.Semantic		13					"MESSAGE_CHANGE_REMARKS_CODED"	
.Mapping		14					"15;"	
C108	00004	006	C108	00004	006			
.Status		1					"	
.Desc		2					"Free text, containing additional change ..."	
4440	00004	007	4440	00004	007			
.Status		1					"	
.Desc		2					"Free text field available to the message..."	
4440	00004	008	4440	00004	008			
.Status		1					"	
.Desc		2					"Free text field available to the message..."	
4440	00004	009	4440	00004	009			
.Status		1					"	
.Desc		2					"Free text field available to the message..."	
4440	00004	010	4440	00004	010			
.Status		1					"	
.Desc		2					"Free text field available to the message..."	
4440	00004	011	4440	00004	011			
.Status		1					"	
.Desc		2					"Free text field available to the message..."	
3453	00004	012	3453	00004	012	+	"aa"	
4447	00004	013	4447	00004	013	+	"1"	

EDI Guide 1			EDI Guide 2			* modified		> moved
-----			-----			+ added		- deleted
Obj	Se	Nr pos	Obj	Se	Nr pos	<> not equal		
=====								
FTX	00005	000				-		

EDI Guide 1			EDI Guide 2			*	modified	> moved
-----			-----			+	added	- deleted
Obj	Se	Nr	pos	Obj	Se	Nr	pos	<> not equal

FTX 00006 000 | |

EDI Guide 1			EDI Guide 2			* modified > moved		
Obj			Obj			+ added - deleted		
						<> not equal		
HAN	00007	000	HAN	00005	000	*		
.Status		1				-"D"		
.Check		2				-"If HANDLING_ACTION_CONSIG doesn't exist,..."		
.Check		3				-"If HANDLING_ACTION_CONSIG exists, then s..."		
C524	00007	000	C524	00005	000			
.Status		1				-"R"		
4079	00007	001	4079	00005	001	* "CTC" <> "1"		
.Status		1				-"R"		
.UserCode		2				-"CTC;Cargo Tank Cleaning *code added"		
.UserCode		3				-"LDI;Discharge Action *code added"		
.UserCode		4				-"LLO;Load Action *code added"		
.UserCode		5				-"RES;Re-stow *code added"		
.UserCode		6				-"T;In Transit Action *code added"		
.UserCode		7				-"TSP;Transportation in the same port *cod..."		
.UserCode		8				-"DO;Discharge/On-carriage"		
.UserCode		9				-"PL;Pre-carriage/Load"		
.Semantic		10				-"GOODS_HANDLING_INFO_CODED"		
.Mapping		11				-"12;"		
1131	00007	002	1131	00005	002	+ " "		
3055	00007	003	3055	00005	003	+ " "		
4078	00007	004	4078	00005	004	+ "X"		

EDI Guide 1			EDI Guide 2			* modified > moved		
Obj			Obj			+ added - deleted		
						<> not equal		
RFF	00008	000	RFF	00006	000	*		
.Status		1				-"D"		
.MaxRep		2				-"1"		
.Check		3				-"If MESSAGE_FUNCTION_INDICATOR NE '9', th..."		
.Desc		1				-"A segment to express a reference to the ..."		
1153	00008	001	1153	00006	001	* "ACW" <> "AAA"		
.Code		1				-"ACW;Reference number to previous message"		
1154	00008	002	1154	00006	002			
.Status		1				-"R"		
.Semantic		2				-"MESSAGE_CHANGE_REFERENCE_PREVIOUS_MESSAG..."		
.Mapping		3				-"13;"		
1156	00008	003	1156	00006	003	+ "X"		
1056	00008	004	1056	00006	004	+ "X"		
1060	00008	005	1060	00006	005	+ "X"		

EDI Guide 1			EDI Guide 2			* modified > moved		
Obj			Obj			+ added - deleted		
						<> not equal		
			DTM	00007	000	+		

EDI Guide 1			EDI Guide 2			* modified > moved		
Obj			Obj			+ added - deleted		
						<> not equal		
TD1	00009	000	TD1	00008	000	*		
.Status		1				-"R"		
.Desc		2				-"A segment to indicate locations related ..."		
.Desc		1				-"A group of segments to indicate the deta..."		
.Desc		2				-"The following conditions apply:\r\nl Thi..."		
8051	00009	000	8051	00008	000			
.Desc		1				-"20 Main-carriage transport. The primary ..."		
.Level3		2				-"Date and/or time, or period relevant to ..."		
.Mapping		3				-"14;"		
8028	00009	001	8028	00008	001			
.Semantic		1				-"MAIN OCEAN VOYAGE REF"		
.Mapping		2				-"40;"		
C220	00009	002	C220	00008	002			
.Status		1				-"R"		
8067	00009	003	8067	00008	003	* "1" <> "0"		
.Desc		1				-"Code specifying the name of a mode of tr..."		
.Status		2				-"R"		
.Code		3				-"1;Maritime transport"		
.Code		4				-"2;Rail transport"		
.Code		5				-"3;Road transport"		
.Code		6				-"7;Fixed transport installations"		
.Code		7				-"8;Inland water transport"		
.Semantic		8				-"TransportMode"		

.Mapping		9						-		"16;"
8066	00009	004		8066	00008	004				
.Status		1						-		"X"
C001	00009	005		C001	00008	005				
.Status		1						-		"O"
8179	00009	006		8179	00008	006				
.Status		1						-		"O"
.Desc		2						-		"Code specifying the means of transport."
.Semantic		3						-		"MAIN VESSEL TYPE CODED"
.Mapping		4						-		"17;"
1131	00009	007		1131	00008	007				
.Status		1						-		"X"
.Name		2						-		"Code list qualifier"
.Desc		3						-		"Identification of a code list."
3055	00009	008		3055	00008	008				
.Status		1						-		"X"
.Name		2						-		"Code list responsible agency, coded"
.Desc		3						-		"Code identifying the agency responsible ..."
8178	00009	009		8178	00008	009				
.Status		1						-		"O"
.Desc		2						-		"Free form description of the means of tr..."
.Semantic		3						-		"MAIN VESSEL TYPE DESCR"
.Mapping		4						-		"18;"
C040	00009	010		C040	00008	010				
.Status		1						-		"X"
3127	00009	011		3127	00008	011		*		" <> "X"
.Status		1						-		"X"
1131	00009	012		1131	00008	012				
.Status		1						-		"X"
3055	00009	013		3055	00008	013				
.Status		1						-		"X"
3126	00009	014		3126	00008	014				
.Status		1						-		"X"
8101	00009	015		8101	00008	015		*		" <> "BS"
.Status		1						-		"X"
C401	00009	016		C401	00008	016				
.Status		1						-		"X"
8457	00009	017		8457	00008	017		*		" <> "A"
.Status		1						-		"X"
8459	00009	018		8459	00008	018			+	"B"
7130	00009	019		7130	00008	019			+	"X"
C222	00009	020		C222	00008	020				
.Status		1						-		"O"
8213	00009	021		8213	00008	021				
.Status		1						-		"D"
.Desc		2						-		"Identifies the name of the transport mea..."
.Format		3						-		"an..9"
.Check		4						-		"If TransportMode EQ '1', then set Usage ..."
.Semantic		5						-		"MAIN VESSEL ID LRN"
.Mapping		6						-		"19;"
1131	00009	022		1131	00008	022				
.Status		1						-		"X"
.Name		2						-		"Code list qualifier"
.Desc		3						-		"Identification of a code list."
3055	00009	023		3055	00008	023				
.Status		1						-		"X"
.Name		2						-		"Code list responsible agency, coded"
.Desc		3						-		"Code identifying the agency responsible ..."
8212	00009	024		8212	00008	024				
.Status		1						-		"D"
.Desc		2						-		"Name identifying a means of transport."
.Check		3						-		"If TransportMode EQ '1', then set Usage ..."
.Semantic		4						-		"MAIN VESSEL NAME"
.Mapping		5						-		"20;"
8453	00009	025		8453	00008	025				
.Status		1						-		"D"
.Desc		2						-		"Code specifying the nationality of a mea..."
.Check		3						-		"If TransportMode EQ '1', then set Usage ..."
.Semantic		4						-		"MAIN VESSEL NATIONALITY CODED"
.Mapping		5						-		"21;"
8281	00009	026		8281	00008	026			+	"1"
C003	00009	027		C003	00008	027			+	" "
7041	00009	028		7041	00008	028			+	"1"
1131	00009	029		1131	00008	029			+	" "
3055	00009	030		3055	00008	030			+	" "

7040 00009 031 | 7040 00008 031 |+"X"

=====

EDI Guide 1			EDI Guide 2				*	modified	> moved
							+	added	- deleted
Obj	Se	Nr pos	Obj	Se	Nr pos		<>	not equal	

=====

			DTM			00009 000	+		
--	--	--	-----	--	--	-----------	---	--	--

=====

=====

EDI Guide 1			EDI Guide 2				*	modified	> moved
							+	added	- deleted
Obj	Se	Nr pos	Obj	Se	Nr pos		<>	not equal	

=====

RFF	00010	000	RFF	00010	000	*			
.Status		1					-	"D"	
.MaxRep		2					-	"1"	
.Name		3					-	"Name and Address"	
.Desc		4					-	"A group of segments to identify a party ..."	
.Desc		5					-	"A segment to indicate the transport lice..."	
.Check		6					-	"If TransportMode EQ '1', then set Usage ..."	
C506	00010	000	C506	00010	000				
.Name		1					-	"Identification of a reference"	
1153	00010	001	1153	00010	001	*	"VM" <>	"AAA"	
.Desc		1					-	"Code qualifying a reference"	
.Code		2					-	"VM;Vessel identifier"	
.Levell		3					-	"The reference to UN Rec 10 identifies th..."	
1154	00010	002	1154	00010	002				
.Desc		1					-	"Identifies a reference"	
.Status		2					-	"R"	
.Semantic		3					-	"MAIN VESSEL ID RCS"	
1156	00010	003	1156	00010	003	+		"X"	
1056	00010	004	1056	00010	004	+		"X"	
1060	00010	005	1060	00010	005	+		"X"	

=====

=====

EDI Guide 1			EDI Guide 2				*	modified	> moved
							+	added	- deleted
Obj	Se	Nr pos	Obj	Se	Nr pos		<>	not equal	

=====

RFF	00011	000					-		
-----	-------	-----	--	--	--	--	---	--	--

=====

=====

EDI Guide 1			EDI Guide 2				*	modified	> moved
							+	added	- deleted
Obj	Se	Nr pos	Obj	Se	Nr pos		<>	not equal	

=====

LOC	00012	000	LOC	00011	000	*			
.Status		1					-	"R"	
.MaxRep		2					-	"1"	
.Desc		3					-	"A segment group to specify locations rel..."	
.Desc		1					-	"A segment to indicate locations related ..."	
3227	00012	000	3227	00011	000	*	"153" <>	"1"	
.Desc		1					-	"Code identifying the function of a locat..."	
.Code		2					-	"153;Port of call"	
C517	00012	001	C517	00011	001				
.Status		1					-	"R"	
.Desc		2					-	"Identification of a location by code or ..."	
3225	00012	002	3225	00011	002				
.Desc		1					-	"Code specifying the name of the location..."	
.Status		2					-	"R"	
.Level2		3					-	"Note: Use UN/ECE Recommendation No. 16: ..."	
.Semantic		4					-	"MAIN VESSEL PORT/CALL CODED"	
1131	00012	003	1131	00011	003	+		""	
3055	00012	004	3055	00011	004	+		""	
3224	00012	005	3224	00011	005	+		"X"	
C519	00012	006	C519	00011	006	+		""	
3223	00012	007	3223	00011	007	+		"X"	
1131	00012	008	1131	00011	008	+		""	
3055	00012	009	3055	00011	009	+		""	
3222	00012	010	3222	00011	010	+		"X"	
C553	00012	011	C553	00011	011	+		""	
3233	00012	012	3233	00011	012	+		"X"	
1131	00012	013	1131	00011	013	+		""	
3055	00012	014	3055	00011	014	+		""	

=====

3232	00012	015		3232	00011	015	+	"X"
5479	00012	016		5479	00011	016	+	"X"

EDI Guide 1			EDI Guide 2				*	modified	>	moved
							+	added	-	deleted
Obj	Se	Nr pos	Obj	Se	Nr pos		<>	not equal		
DTM	00013	000	DTM	00012	000	*				
.Status		1					"D"			
.MaxRep		2					"1"			
.Desc		3					"A segment to specify estimated date(s) a..."			
.Check		4					"If TransportMode EQ '1', then set Usage ..."			
C507	00013	000	C507	00012	000					
.Desc		1					"Date and/or time, or period relevant to ..."			
2005	00013	001	2005	00012	001	*	"132" <> "1"			
.Desc		1					"Code qualifying the function of a date, ..."			
.Code		2					"132;Transport means arrival date time, e..."			
2380	00013	002	2380	00012	002					
.Desc		1					"The value of a date, a date and time, a ..."			
.Status		2					"R"			
.Semantic		3					"MAIN VESSEL D/T ETA POC"			
.Level2		4					"Times in UTC"			
2379	00013	003	2379	00012	003	*	"203" <> "2"			
.Desc		1					"Code specifying the representation of a ..."			
.Status		2					"R"			
.Code		3					"203;CCYYMMDDHHMM"			
.Level3		4					"Calendar date including time with minute..."			

EDI Guide 1			EDI Guide 2				*	modified	>	moved
							+	added	-	deleted
Obj	Se	Nr pos	Obj	Se	Nr pos		<>	not equal		
DTM	00014	000								

EDI Guide 1			EDI Guide 2				*	modified	>	moved
							+	added	-	deleted
Obj	Se	Nr pos	Obj	Se	Nr pos		<>	not equal		
NAD	00015	000	NAD	00013	000	*				
.Name		1					"NAD-SG5 (MS) "			
.Status		2					"R"			
.MaxRep		3					"1"			
3035	00015	000	3035	00013	000	*	"MS" <> "AA"			
.Code		1					"MS;Document/message issuer/sender"			
C082	00015	001	C082	00013	001					
.Status		1					"R"			
3039	00015	002	3039	00013	002					
.Semantic		1					"MESSAGE_SENDER_ID"			
.Mapping		2					"10;"			
3124	00015	006	3124	00013	006					
.Semantic		1					"MESSAGE_SENDER_NAME_&_ADDR"			
3036	00015	012	3036	00013	012					
.Format		1					"an..35"			
.Mapping		2					"27;"			
3036	00015	013	3036	00013	013					
.Format		1					"an..35"			
3036	00015	014	3036	00013	014					
.Format		1					"an..35"			
3036	00015	015	3036	00013	015					
.Format		1					"an..35"			
3036	00015	016	3036	00013	016					
.Format		1					"an..35"			
3045	00015	017	3045	00013	017	+	"1"			
3042	00015	019	3042	00013	019					
.Format		1					"an..35"			
.Mapping		2					"22;"			
3042	00015	020	3042	00013	020					
.Format		1					"an..35"			
3042	00015	021	3042	00013	021					
.Format		1					"an..35"			
3042	00015	022	3042	00013	022					
.Format		1					"an..35"			
3164	00015	023	3164	00013	023					
.Mapping		1					"41;"			
3228	00015	028	3228	00013	028					

.Mapping			1	- "25;"		
3251			00015 029	3251 00013 029		
.Mapping			1	- "24;"		
3207			00015 030	3207 00013 030		
.Mapping			1	- "26;"		
=====						
EDI Guide 1				EDI Guide 2		
Obj			Se Nr pos	Se Nr pos		
CTA			00016 000	CTA 00014 000		
.MaxRep			1	*		
				- "2"		
3139			00016 000	3139 00014 000		
.Code			1	* "IC" <> "AA"		
				- "IC;Information contact"		
C056			00016 001	C056 00014 001		
.Status			1	- "R"		
3413			00016 002	3413 00014 002		
.Status			1	- "X"		
3412			00016 003	3412 00014 003		
.Format			1	- "an..35"		
.Status			2	- "R"		
.Semantic			3	- "MESSAGE_SENDER_CONTACT_NAME"		
.Mapping			4	- "45;"		
=====						
EDI Guide 1				EDI Guide 2		
Obj			Se Nr pos	Se Nr pos		
COM			00017 000	COM 00015 000		
.MaxRep			1	*		
				- "3"		
3148			00017 001	3148 00015 001		
.Level2			1	- "No spaces or hyphens allowed."		
.Semantic			2	- "MESSAGE_SENDER_CONTACT_PHONE/FAX/EMAIL"		
.Mapping			3	- "46;"		
.Mapping			4	- "49;"		
3155			00017 002	3155 00015 002		
.Code			1	* "EM" <> "AA"		
.Code			2	- "EM;Electronic mail"		
.Code			3	- "FX;Telefax"		
				- "TE;Telephone"		
=====						
EDI Guide 1				EDI Guide 2		
Obj			Se Nr pos	Se Nr pos		
NAD			00018 000	-		
=====						
EDI Guide 1				EDI Guide 2		
Obj			Se Nr pos	Se Nr pos		
NAD			00019 000	-		
=====						
EDI Guide 1				EDI Guide 2		
Obj			Se Nr pos	Se Nr pos		
CTA			00020 000	-		
=====						
EDI Guide 1				EDI Guide 2		
Obj			Se Nr pos	Se Nr pos		
COM			00021 000	-		
=====						
EDI Guide 1				EDI Guide 2		
Obj			Se Nr pos	Se Nr pos		
NAD			00022 000	-		
=====						
EDI Guide 1				EDI Guide 2		
Obj			Se Nr pos	Se Nr pos		
CTA			00023 000	-		

EDI Guide 1				EDI Guide 2			*	modified	> moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	+	added
								<>	not equal
COM	00024	000							

EDI Guide 1				EDI Guide 2			*	modified	> moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	+	added
								<>	not equal
NAD	00025	000							

EDI Guide 1				EDI Guide 2			*	modified	> moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	+	added
								<>	not equal
CTA	00026	000							

EDI Guide 1				EDI Guide 2			*	modified	> moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	+	added
								<>	not equal
COM	00027	000							

EDI Guide 1				EDI Guide 2			*	modified	> moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	+	added
								<>	not equal
NAD	00028	000							

EDI Guide 1				EDI Guide 2			*	modified	> moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	+	added
								<>	not equal
CTA	00029	000							

EDI Guide 1				EDI Guide 2			*	modified	> moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	+	added
								<>	not equal
COM	00030	000							

EDI Guide 1				EDI Guide 2			*	modified	> moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	+	added
								<>	not equal
NAD	00031	000							

EDI Guide 1				EDI Guide 2			*	modified	> moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	+	added
								<>	not equal
CTA	00032	000							

EDI Guide 1				EDI Guide 2			*	modified	> moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	+	added
								<>	not equal
COM	00033	000							

EDI Guide 1				EDI Guide 2			*	modified	> moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	+	added
								<>	not equal
EQD	00034	000		EQD	00016	000		*	
8053	00034	000		8053	00016	000		*	"BR" <> "AA"
.Code		1							"BR;Barge"
.Code		2							"CN;Container"
.Code		3							"TE;Trailer"
.Code		4							"AI;Vessel hold"
.Mapping		5							"64;"
8260	00034	002		8260	00016	002			
.Status		1							"R"
.Name		2							"Equipment identification number"
.Semantic		3							"CONTAINER_ID_PREFIX_&_NO"
.Mapping		4							"65;"
1131	00034	003		1131	00016	003			
.Status		1							"X"

3055	00034	004	3055	00016	004		
.Status		1					-"X"
3207	00034	005	3207	00016	005		
.Status		1					-"X"
8155	00034	007	8155	00016	007		
.Semantic		1					-"CONTAINER_TYPE/SIZE_CODED"
.Mapping		2					-"87;"
1131	00034	008	1131	00016	008		
.Status		1					-"X"
.Name		2					-"Code list qualifier"
.Desc		3					-"Identification of a code list."
3055	00034	009	3055	00016	009		
.Status		1					-"X"
.Name		2					-"Code list responsible agency, coded"
.Desc		3					-"Code identifying the agency responsible ..."
8154	00034	010	8154	00016	010		
.Semantic		1					-"CONTAINER_TYPE/SIZE_DESCR"
.Mapping		2					-"88;"
8077	00034	011	8077	00016	011		* " " <> "1"
.Status		1					-"X"
8249	00034	012	8249	00016	012		* " " <> "1"
.Status		1					-"X"
8169	00034	013	8169	00016	013		* "4" <> "1"
.Code		1					-"4;Empty"
.Code		2					-"5;Full"
.Semantic		3					-"CONTAINER_EMPTY_INDICATOR"
.Mapping		4					-"89;"
4233	00034	014	4233	00016	014		
.Status		1					-"X"

CNI	00036	000		CNI	00019	000	*	
.Status		1						- ""
1490	00036	000		1490	00019	000		
.Status		1						- "R"
.Format		2						- "n..4"
.Semantic		3						- "CONSIGNMENT_ID_SERIAL"
1004	00036	002		1004	00019	002		
.Status		1						- "R"
.Format		2						- "an..35"
.Semantic		3						- "CONSIGNMENT_ID_REFERENCE"
1373	00036	003		1373	00019	003	+	- "1"
1366	00036	004		1366	00019	004	+	- "X"
3453	00036	005		3453	00019	005	+	- "aa"
1056	00036	006		1056	00019	006	+	- "X"
1060	00036	007		1060	00019	007	+	- "X"
1312	00036	008		1312	00019	008	+	- "9"

EDI Guide 1				EDI Guide 2					*	modified	>	moved
									+	added	-	deleted
Obj	Se	Nr	pos		Obj	Se	Nr	pos		<>	not	equal
HAN	00037	000		HAN	00020	000	*					
.Status			1							- "D"		
.Check			2							- "If HANDLING_ACTION doesn't exist, then s..."		
.Check			3							- "If HANDLING_ACTION exists, then set Usag..."		
C524	00037	000		C524	00020	000						
.Status			1							- "R"		
4079	00037	001		4079	00020	001	*		"CTC"	<>	"1"	
.Status			1							- "R"		
.UserCode			2							- "CTC;Cargo Tank Cleaning"		
.UserCode			3							- "LDI;Discharge action"		
.UserCode			4							- "LLO;Load Action"		
.UserCode			5							- "RES;Re-stow"		
.UserCode			6							- "T;In Transit Action"		
.UserCode			7							- "TSP;Transportation in the same port"		
.Semantic			8							- "GOODS_HANDLING_INFO_CODED"		
.Mapping			9							- "91;"		
1131	00037	002		1131	00020	002	+					
3055	00037	003		3055	00020	003	+					
4078	00037	004		4078	00020	004	+					
C218	00037	005		C218	00020	005	+					
7419	00037	006		7419	00020	006	+					
1131	00037	007		1131	00020	007	+					
3055	00037	008		3055	00020	008	+					
7418	00037	009		7418	00020	009	+					

EDI Guide 1				EDI Guide 2					*	modified	>	moved
									+	added	-	deleted
Obj	Se	Nr	pos		Obj	Se	Nr	pos		<>	not	equal
DTM	00038	000		DTM	00021	000	*					
.Name			1							- "Date/time/period (369)"		
.Status			2							- "D"		
.MaxRep			3							- "1"		
.Check			4							- "If HANDLING ACTION EQ 'RES' or HANDLING ..."		
.Check			5							- "If HANDLING ACTION EQ 'T' or HANDLING AC..."		
.Check			6							- "If HANDLING ACTION EQ 'CTC' or HANDLING ..."		
.Check			7							- "If HANDLING ACTION EQ 'LDI' or HANDLING ..."		
.Check			8							- "If HANDLING ACTION EQ 'LLO' or HANDLING ..."		
.Check			9							- "If HANDLING ACTION EQ 'TSP' or HANDLING ..."		
2005	00038	001		2005	00021	001	*		"369"	<>	"1"	
.Code			1							- "369;Date and or time of handling, estima..."		
2380	00038	002		2380	00021	002						
.Status			1							- "R"		
.Semantic			2							- "GOODS_HANDLING_D/T_EXPECTED"		
.Level2			3							- "Times in UTC"		
2379	00038	003		2379	00021	003	*		"203"	<>	"2"	
.Status			1							- "R"		
.Code			2							- "203;CCYYMMDDHHMM"		
.Code			3							- "719;CCYYMMDDHHMM-CCYYMMDDHHMM"		
.Remark			4							- "Times in UTC"		

EDI Guide 1				EDI Guide 2					*	modified	>	moved
									+	added	-	deleted

Obj	Se Nr	pos	Obj	Se Nr	pos	<>	not equal
DTM	00039	000					-

EDI Guide 1			EDI Guide 2				*	modified	>	moved
Obj	Se Nr	pos	Obj	Se Nr	pos		+	added	-	deleted
							<>	not equal		
LOC	00040	000		LOC	00022	000		*		
.Status		1						"C"		
.Desc		2						"A segment to indicate locations related ..."		
.MaxRep		3						"1"		
3227	00040	000		3227	00022	000		"200" <> "1"		
.Desc		1						"Code identifying the function of a locat..."		
.Code		2						"200;Place of handling"		
C517	00040	001		C517	00022	001				
.Status		1						"R"		
.Desc		2						"Identification of a location by code or ..."		
3225	00040	002		3225	00022	002				
.Desc		1						"Code specifying the name of the location..."		
.Status		2						"R"		
.Remark		3						"Note: Use UN/ECE Recommendation No. 16: ..."		
.Semantic		4						"MAIN VESSEL POC"		
.Semantic		5						"PLACE TERMINAL CODED"		
.Semantic		6						"PLACE WAREHOUSE CODED"		
1131	00040	003		1131	00022	003		+		
3055	00040	004		3055	00022	004		+		
3224	00040	005		3224	00022	005		+		
C519	00040	006		C519	00022	006		+		
3223	00040	007		3223	00022	007		+		
1131	00040	008		1131	00022	008		+		
3055	00040	009		3055	00022	009		+		
3222	00040	010		3222	00022	010		+		
C553	00040	011		C553	00022	011		+		
3233	00040	012		3233	00022	012		+		
1131	00040	013		1131	00022	013		+		
3055	00040	014		3055	00022	014		+		
3232	00040	015		3232	00022	015		+		
5479	00040	016		5479	00022	016		+		

EDI Guide 1			EDI Guide 2				*	modified	>	moved
Obj	Se Nr	pos	Obj	Se Nr	pos		+	added	-	deleted
							<>	not equal		
LOC	00041	000								

EDI Guide 1			EDI Guide 2				*	modified	>	moved
Obj	Se Nr	pos	Obj	Se Nr	pos		+	added	-	deleted
							<>	not equal		
TDT	00042	000		TDT	00023	000		*		
8051	00042	000		8051	00023	000		"10" <> "1"		
.Code		1						"10;Pre-carriage transport"		
.Code		2						"20;Main-carriage transport"		
.Code		3						"30;On-carriage transport"		
8028	00042	001		8028	00023	001				
.Semantic		1						"ON-CARR_OCEAN_VOYAGE_REF"		
.Semantic		2						"PRE-CARR_OCEAN_VOYAGE_REF"		
.Semantic		3						"ON-CARR_BARGE_VOYAGE_REF"		
.Semantic		4						"PRE-CARR_BARGE_VOYAGE_REF"		
.Semantic		5						"ON-CARR_TRAIN/TRACK_ID"		
.Semantic		6						"PRE-CARR_TRAIN/TRACK_ID"		
.Semantic		7						"MAIN-CARR_OCEAN_VOYAGE_REF"		
C220	00042	002		C220	00023	002				
.Status		1						"R"		
8067	00042	003		8067	00023	003		"1" <> "0"		
.Status		1						"R"		
.Code		2						"1;Maritime transport"		
.Code		3						"2;Rail transport"		
.Code		4						"3;Road transport"		
.Code		5						"7;Fixed transport installations"		
.Code		6						"8;Inland water transport"		
8066	00042	004		8066	00023	004		+		

C001 .Status	00042	005 1		C001	00023	005				-		"X"
8179 .Status	00042	006 1		8179	00023	006				-		"X"
1131	00042	007		1131	00023	007		+		"	"	
3055	00042	008		3055	00023	008		+		"	"	
8178	00042	009		8178	00023	009		+		"X"		
C040 .Status	00042	010 1		C040	00023	010				-		"X"
3127 .Status	00042	011 1		3127	00023	011				-		"X"
1131	00042	012		1131	00023	012		+		"	"	
3055	00042	013		3055	00023	013		+		"	"	
3126	00042	014		3126	00023	014		+		"X"		
8101 .Status	00042	015 1		8101	00023	015				-		"X"
C401 .Status	00042	016 1		C401	00023	016				-		"X"
8457 .Status	00042	017 1		8457	00023	017				-		"X"
8459	00042	018		8459	00023	018		+		"B"		
7130	00042	019		7130	00023	019		+		"X"		
8213 .Format	00042	021		8213	00023	021				-		"an..9"
.Semantic		2								-		"ON-CARR_VESSEL_ID_LRN"
.Semantic		3								-		"PRE-CARR_VESSEL_ID_LRN"
.Semantic		4								-		"ON-CARR_BARGE_ID"
.Semantic		5								-		"PRE-CARR_BARGE_ID"
.Semantic		6								-		"ON-CARR_TRUCK_ID"
.Semantic		7								-		"PRE-CARR_TRUCK_ID"
1131 .Status	00042	022 1		1131	00023	022				-		"X"
3055 .Status	00042	023 1		3055	00023	023				-		"X"
8212 .Status	00042	024 1		8212	00023	024				-		"
.Semantic		2								-		"ON-CARR_VESSEL_NAME"
.Semantic		3								-		"PRE-CARR_VESSEL_NAME"
.Semantic		4								-		"ON-CARR_BARGE_NAME"
.Semantic		5								-		"PRE-CARR_BARGE_NAME"
8453 .Status	00042	025 1		8453	00023	025				-		"
.Semantic		2								-		"ON-CARR_VESSEL_NATIONALITY_CODED"
.Semantic		3								-		"PRE-CARR_VESSEL_NATIONALITY_CODED"
8281	00042	026		8281	00023	026		+		"1"		
C003	00042	027		C003	00023	027		+		"	"	
7041	00042	028		7041	00023	028		+		"1"		
1131	00042	029		1131	00023	029		+		"	"	
3055	00042	030		3055	00023	030		+		"	"	
7040	00042	031		7040	00023	031		+		"X"		
=====												
EDI Guide 1				EDI Guide 2					*	modified	>	moved
									+	added	-	deleted
Obj	Se	Nr	pos		Obj	Se	Nr	pos		<>	not equal	
=====												
RFF	00043	000		RFF	00024	000		*				

1153 .Code	00043	001 1		1153	00024	001		*		"ALH" <> "AAA"		
.Code		2								-		"ALH;Dangerous goods transport licence number"
.Code		3								-		"ATZ;Ship's stay reference number"
										-		"VM;Vessel identifier"

1154 .Status	00043	002 1		1154	00024	002				-		"R"
.Semantic		2								-		"ON-CARR_VESSEL_ID_RCS"
.Semantic		3								-		"PRE-CARR_VESSEL_ID_RCS"
.Semantic		4								-		"ON-CARR_OCEAN_SHIP'S STAY REFERENCE"
.Semantic		5								-		"PRE-CARR_OCEAN_SHIP'S STAY REFERENCE"
.Semantic		6								-		"MAIN_VESSEL_TRANSPORT_LICENSE_NUMBER"

1156	00043	003		1156	00024	003		+		"X"		
1056	00043	004		1056	00024	004		+		"X"		
1060	00043	005		1060	00024	005		+		"X"		

EDI Guide 1			EDI Guide 2			* modified		> moved
-----			-----			+ added		- deleted
Obj	Se	Nr pos	Obj	Se	Nr pos	<> not equal		
=====			=====					
			LOC	00025	000	+		

EDI Guide 1			EDI Guide 2			* modified		> moved
						+ added		- deleted
Obj	Se	Nr pos	Obj	Se	Nr pos	<> not equal		
								</

EDI Guide 1			EDI Guide 2			* modified		> moved
						+ added		- deleted
Obj	Se	Nr pos	Obj	Se	Nr pos	<> not equal		
NAD	00044	000	NAD	00027	000	*		
.MaxRep		1				- "2"		
.Name		2				- "NAD (CG/FW) -SG11-RFF"		
3035	00044	000	3035	00027	000	* "CG" <> "AA"		
.Code		1				- "CG;Carrier's agent"		
.Code		2				- "FW;Freight forwarder"		
3124	00044	006	3124	00027	006			
.Semantic		1				- "FORWARDER_NAME & ADDRESS"		
.Semantic		2				- "MAIN_OCEAN_CARRIER_AGENT_NAME & ADDRESS"		
C080	00044	011	C080	00027	011			
.Id		1				- "96;"		
3036	00044	012	3036	00027	012			
.Status		1				- "an..35"		
3036	00044	013	3036	00027	013			
.Format		1				- "an..35"		
3036	00044	014	3036	00027	014			
.Format		1				- "an..35"		
3036	00044	015	3036	00027	015			
.Format		1				- "an..35"		
3036	00044	016	3036	00027	016			
.Format		1				- "an..35"		
3045	00044	017	3045	00027	017	+ "1"		
3042	00044	019	3042	00027	019			
.Format		1				- "an..35"		
3042	00044	020	3042	00027	020			
.Format		1				- "an..35"		
3042	00044	021	3042	00027	021			
.Format		1				- "an..35"		
3042	00044	022	3042	00027	022			
.Format		1				- "an..35"		
1131	00044	026	1131	00027	026	+ ""		
3055	00044	027	3055	00027	027	+ ""		
3228	00044	028	3228	00027	028	+ "X"		

EDI Guide 1			EDI Guide 2			* modified		> moved
						+ added		- deleted
Obj	Se	Nr pos Obj	Se	Nr pos <> not equal				
CTA	00045	000 CTA	00028	000	*			
.MaxRep		1			-	"2"		
3139	00045	000 3139	00028	000	*	"IC" <> "AA"		
.Status		1			-	"R"		
.Code		2			-	"IC;Information contact"		
C056	00045	001 C056	00028	001				
.Status		1			-	"R"		
3413	00045	002 3413	00028	002	*	" " <> "X"		
.Format		1			-	"X"		
3412	00045	003 3412	00028	003				
.Format		1			-	"an..35"		
.Status		2			-	"R"		
.Semantic		3			-	"FORWARDER_CONTACT "		
.Semantic		4			-	"MAIN OCEAN CARRIER AGENT CONTACT "		

=====											
EDI Guide 1			EDI Guide 2					* modified		> moved	
-----			-----					+ added		- deleted	

Obj	Se	Nr	pos	Obj	Se	Nr	pos	<>	not equal
COM	00046	000	1	COM	00029	000	1	*	
.MaxRep			1					-	"3"
3148	00046	001	1	3148	00029	001	1		
.Semantic			1					-	"FORWARDER_CONTACT_PHONE/FAX/EMAIL"
.Semantic			2					-	"MAIN_OCEAN_CARRIER_AGENT_CONTACT_PHONE/F..."
3155	00046	002	1	3155	00029	002	1	*	"EM" <> "AA"
.Code			1					-	"EM;Electronic mail"
.Code			2					-	"FX;Telefax"
.Code			3					-	"TE;Telephone"

EDI Guide 1	Se	Nr	pos	EDI Guide 2	Se	Nr	pos	<>	not equal	*	modified	>	moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	<>	not equal	+	added	-	deleted
RFF	00047	000	1	RFF	00030	000	1	*					
1153	00047	001	1	1153	00030	001	1	*	"AAY" <> "AAA"				
.Code			1					-	"AAY;Carrier's agent reference number"				
.Code			2					-	"FF;Consignment identifier, freight forwa..."				
1154	00047	002	1	1154	00030	002	1						
.Status			1					-	"R"				
.Semantic			2					-	"CONSIGNMENT_REFERENCE_OCEAN_CARRIER_AGEN..."				
.Semantic			3					-	"CONSIGNMENT_REFERENCE_FORWARDER"				
1156	00047	003	1	1156	00030	003	1	+	"X"				
1056	00047	004	1	1056	00030	004	1	+	"X"				
1060	00047	005	1	1060	00030	005	1	+	"X"				

EDI Guide 1	Se	Nr	pos	EDI Guide 2	Se	Nr	pos	<>	not equal	*	modified	>	moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	<>	not equal	+	added	-	deleted
NAD	00048	000	1					-					

EDI Guide 1	Se	Nr	pos	EDI Guide 2	Se	Nr	pos	<>	not equal	*	modified	>	moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	<>	not equal	+	added	-	deleted
CTA	00049	000	1					-					

EDI Guide 1	Se	Nr	pos	EDI Guide 2	Se	Nr	pos	<>	not equal	*	modified	>	moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	<>	not equal	+	added	-	deleted
COM	00050	000	1					-					

EDI Guide 1	Se	Nr	pos	EDI Guide 2	Se	Nr	pos	<>	not equal	*	modified	>	moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	<>	not equal	+	added	-	deleted
NAD	00051	000	1					-					

EDI Guide 1	Se	Nr	pos	EDI Guide 2	Se	Nr	pos	<>	not equal	*	modified	>	moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	<>	not equal	+	added	-	deleted
CTA	00052	000	1					-					

EDI Guide 1	Se	Nr	pos	EDI Guide 2	Se	Nr	pos	<>	not equal	*	modified	>	moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	<>	not equal	+	added	-	deleted
COM	00053	000	1					-					

EDI Guide 1	Se	Nr	pos	EDI Guide 2	Se	Nr	pos	<>	not equal	*	modified	>	moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos	<>	not equal	+	added	-	deleted
GID	00054	000	1	GID	00031	000	1	*					
.MaxRep			1					-	"999"				
1496	00054	000	1	1496	00031	000	1						
.Status			1					-	"R"				
.Format			2					-	"n..5"				
.Semantic			3					-	"GOODS_ID_SERIAL"				
.Mapping			4					-	"106;"				
C213	00054	001	1	C213	00031	001	1						
.Status			1					-	"D"				

.Check		2				- "If TANKER_NOTTANKER NE '552', then set Us..."	
.Desc		3				- "Number and type of the selfcontained uni..."	
7224		00054	002	7224		00031	002
.Status			1				- "R"
.Name			2				- "Number of packages"
.Semantic			3				- "GOODS_PACKAGE_TYPE_OUTER_TOTAL_NUMBER"
.Mapping			4				- "107;"
7065		00054	003	7065		00031	003
.Semantic			1				- "GOODS_PACKAGE_TYPE_OUTER_CODED"
.Mapping			2				- "108;"
1131		00054	004	1131		00031	004
.Status			1				- "X"
3055		00054	005	3055		00031	005
.Status			1				- "X"
7064		00054	006	7064		00031	006
.Semantic			1				- "GOODS_PACKAGE_TYPE_OUTER_DESCR"
.Mapping			2				- "109;"
7233		00054	007	7233		00031	007 + "1"
C213		00054	008	C213		00031	008
.Status			1				- "X"
7224		00054	009	7224		00031	009 * "" <> "9"
.Status			1				- "X"
7065		00054	010	7065		00031	010 + "43"
1131		00054	011	1131		00031	011 + ""
3055		00054	012	3055		00031	012 + ""
7064		00054	013	7064		00031	013 + "X"
7233		00054	014	7233		00031	014 + "1"
C213		00054	015	C213		00031	015
.Status			1				- "D"
.Desc			2				- "Number and type of the non-selfcontained..."
.Check			3				- "If TANKER_NOTTANKER EQ '522', then set Us..."
7224		00054	016	7224		00031	016
.Status			1				- "R"
.Name			2				- "Number of packages"
.Semantic			3				- "GOODS_PACKAGE_TYPE_INNER_TOTAL_NUMBER"
7065		00054	017	7065		00031	017
.Semantic			1				- "GOODS_PACKAGE_TYPE_INNER_CODED"
1131		00054	018	1131		00031	018
.Status			1				- "X"
3055		00054	019	3055		00031	019
.Status			1				- "X"
7064		00054	020	7064		00031	020
.Semantic			1				- "GOODS_PACKAGE_TYPE_INNER_DESCR"
7233		00054	021	7233		00031	021 + "1"
C213		00054	022	C213		00031	022 + ""
7224		00054	023	7224		00031	023 + "9"
7065		00054	024	7065		00031	024 + "43"
1131		00054	025	1131		00031	025 + ""
3055		00054	026	3055		00031	026 + ""
7064		00054	027	7064		00031	027 + "X"
7233		00054	028	7233		00031	028 + "1"
C213		00054	029	C213		00031	029 + ""
7224		00054	030	7224		00031	030 + "9"
7065		00054	031	7065		00031	031 + "43"
1131		00054	032	1131		00031	032 + ""
3055		00054	033	3055		00031	033 + ""
7064		00054	034	7064		00031	034 + "X"
7233		00054	035	7233		00031	035 + "1"
=====							
EDI Guide 1			EDI Guide 2			*	modified > moved
						+	added - deleted
Obj		Se Nr	pos Obj		Se Nr	pos <>	not equal
=====							
FTX		00055	000	FTX		00032	000 *
.Name			1				- "Free text (AAA)"
.MaxRep			2				- "1"

4451 .Code	00055	000		4451		00032	000			
		1								- "AAA;Goods item description"
4453 .Status	00055	001		4453		00032	001			* " " <> "1"
		1								- "X"
C107 .Status	00055	002		C107		00032	002			
		1								- "X"
4441	00055	003		4441		00032	003			* " " <> "X"
4440 .Semantic .Mapping	00055	007		4440		00032	007			
		1								- "GOODS_DESCRIPTION"
		2								- "110;"
4440	00055	008		4440		00032	008			+ "X"
4440	00055	009		4440		00032	009			+ "X"
4440	00055	010		4440		00032	010			+ "X"
4440	00055	011		4440		00032	011			+ "X"
3453	00055	012		3453		00032	012			+ "aa"
4447	00055	013		4447		00032	013			+ "1"

EDI Guide 1				EDI Guide 2				*	modified	> moved
								+	added	- deleted
Obj	Se	Nr	pos		Obj	Se	Nr	pos		<> not equal
FTX	00056	000								-

EDI Guide 1				EDI Guide 2				*	modified	> moved
								+	added	- deleted
Obj	Se	Nr	pos		Obj	Se	Nr	pos		<> not equal
PCI	00057	000		PCI		00033	000			*
4233 .Status	00057	000		4233		00033	000			* " " <> "1"
		1								- "X"
7102 .Semantic .Mapping	00057	002		7102		00033	002			
		1								- "GOODS_MARKS_&_NUMBERS"
		2								- "112;"
8169	00057	012		8169		00033	012			+ "1"
C827	00057	013		C827		00033	013			+ " "
7511	00057	014		7511		00033	014			+ "1"

EDI Guide 1				EDI Guide 2				*	modified	> moved
								+	added	- deleted
Obj	Se	Nr	pos		Obj	Se	Nr	pos		<> not equal
SGP	00058	000		SGP		00034	000			*
8260 .Status .Mapping	00058	001		8260		00034	001			
		1								- "R"
		2								- "113;"
1131	00058	002		1131		00034	002			+ " "
3055	00058	003		3055		00034	003			+ " "
3207	00058	004		3207		00034	004			+ "AD"
7224	00058	005		7224		00034	005			+ "9"

EDI Guide 1				EDI Guide 2				*	modified	> moved
								+	added	- deleted
Obj	Se	Nr	pos		Obj	Se	Nr	pos		<> not equal
MEA .MaxRep	00059	000		MEA		00035	000			*
		1								- "1"
6311 .Code	00059	000		6311		00035	000			* "AAE" <> "AAA"
		1								- "AAE;Measurement"
C502 .Status	00059	001		C502		00035	001			
		1								- "R"
6313 .Status .Code	00059	002		6313		00035	002			* "G" <> "A"
		1								- "R"
		2								- "AAB;Goods item gross weight"
6321	00059	003		6321		00035	003			+ "3"
6155	00059	004		6155		00035	004			+ "1"
6154	00059	005		6154		00035	005			+ "X"

C174	00059	006	C174	00035	006		
.Status		1					-"R"
6411	00059	007	6411	00035	007		*"KGM" <> "10"
.Status		1					-"R"
.Code		2					-"KGM;kilogram"
.Code		3					-"TNE;tonne (metric ton)"
6314	00059	008	6314	00035	008		
.Format		1					-"n..18"
.Status		2					-"R"
.Name		3					-"Measurement value"
.Mapping		4					-"114;"
6162	00059	009	6162	00035	009		+"9"
6152	00059	010	6152	00035	010		+"9"
6432	00059	011	6432	00035	011		+"9"
7383	00059	012	7383	00035	012		+"1S"
=====							
EDI Guide 1			EDI Guide 2				* modified > moved
							+ added - deleted
Obj	Se Nr	pos	Obj	Se Nr	pos		<> not equal
DGS	00060	000	DGS	00036	000		*
8273	00060	000	8273	00036	000		*"IMD" <> "ADR"
.Status		1					-"R"
.Code		2					-"IMD;IMO IMDG code"
.UserCode		3					-"IMS;International Maritime Solid Bulk Ca..."
.UserCode		4					-"MAR;MARPOL Annex I (for mineral oil tank..."
.UserCode		5					-"IBC;International Bulk Chemicals Code (I..."
.UserCode		6					-"IGC;International Gas Carrier Code (IGC ..."
.UserCode		7					-"ADN;European Agreement concerning the In..."
.Semantic		8					-"GOODS_HAZARD_REGULATION_CODED"
.Mapping		9					-"11;"
C205	00060	001	C205	00036	001		
.Status		1					-"R"
8351	00060	002	8351	00036	002		
.Level3		1					-"for IMD: hazard class as assigned by IM..."
.Level3		2					-"for IMS: numeric hazard class or "MHB" ..."
.Level3		3					-" for MAR: "NONE""
.Level3		4					-" for IBC: "NONE""
.Level3		5					-"for IGC: "2", "2.1", "2.2" or "2.3""
.Mapping		6					-"115;"
8078	00060	003	8078	00036	003		
.Level3		1					-"for IBC: "X", "Y", "Z" or "OS" as approp..."
.Level3		2					-"for IMS: "GroupA" or "GroupC" as approp..."
.Mapping		3					-"116;"
8092	00060	004	8092	00036	004		
.Semantic		1					-"GOODS_HAZARD_REGULATIONS_AMENDMENT_NO"
.Mapping		2					-"117;"
C234	00060	005	C234	00036	005		
.Id		1					-"325;"
7124	00060	006	7124	00036	006		
.Level3		1					-"for IMD: as assigned by IMDG Code"
.Level3		2					-"for IMS: when assigned by IMSBC Code, o..."
.Level3		3					-"for MAR: Not required."
.Level3		4					-"for IBC: Not required."
.Level3		5					-"for IGC: as assigned by IGC Code"
.Level3		6					-"for ADN: as assigned by ADN Code"
.Mapping		7					-"118;"
7088	00060	007	7088	00036	007		
.Status		1					-"D"
.Check		2					-"If GOODS_HAZARD_REGULATION_CODED = "IBC"..."
.Check		3					-"If GOODS_HAZARD_REGULATION_CODED = "MAR"..."
.Check		4					-"If GOODS_HAZARD_REGULATION_CODED = "IMD"..."
.Check		5					-"If GOODS_HAZARD_REGULATION_CODED = "IMS"..."
.Check		6					-"If GOODS_HAZARD_REGULATION_CODED = "IGC"..."
.Check		7					-"If GOODS_HAZARD_REGULATION_CODED = "ADN"..."
.UserCode		8					-"NF;not flammable"
.UserCode		9					-"GT60CEL;flashpoint greater than 60 degree..."
.UserCode		10					-"LE60CEL;flashpoint less or equal than 60..."
.Semantic		11					-"GOODS_HAZARD_FLASHPOINT_RANGE"
C223	00060	008	C223	00036	008		
.Status		1					-"D"
.Check		2					-"If GOODS_HAZARD_REGULATION_CODED = "IMD"..."
.Check		3					-"If GOODS_HAZARD_REGULATION_CODED = "IMD"..."
.Check		4					-"If GOODS_HAZARD_REGULATION_CODED = "IBC"..."
.Check		5					-"If GOODS_HAZARD_REGULATION_CODED = "MAR"..."
7106	00060	009	7106	00036	009		
.Status		1					-"R"
.Semantic		2					-"GOODS_HAZARD_FLASHPOINT"
.Mapping		3					-"39;"
6411	00060	010	6411	00036	010		*"CEL" <> "10"
.Status		1					-"R"
.Semantic		2					-"GOODS_HAZARD_FLASHPOINT_UNIT"
.Code		3					-"CEL;degree Celsius"

8339	00060	011		8339	00036	011		
.Semantic		1						- "GOODS_HAZARD_PACKING_GROUP_CODED"
.Code		2						- "1;Great danger"
.Code		3						- "2;Medium danger"
.Code		4						- "3;Minor danger"
.Mapping		5						- "38;"
8364	00060	012		8364	00036	012		
.Format		1						- "an..6"
.Semantic		2						- "GOODS_HAZARD_REFERENCE_EMS"
.Level3		3						- "Values: S-A to S-Z; Fire: F-A to F-J"
8410	00060	013		8410	00036	013		
.Semantic		1						- "GOODS_HAZARD_REFERENCE_MFAG"
.Mapping		2						- "119;"
8126	00060	014		8126	00036	014		* " "<> "X"
.Status		1						- "X"
C235	00060	015		C235	00036	015		
.Status		1						- "X"
8158	00060	016		8158	00036	016		* " "<> "X"
.Status		1						- "X"
8186	00060	017		8186	00036	017		+ "XXXX"
8246	00060	019		8246	00036	019		
.Status		1						- "R"
.Semantic		2						- "GOODS_HAZARD_REGULATIONS_SUBSIDIARY_RISK"
.Mapping		3						- "120;"
8246	00060	020		8246	00036	020		
.CodeLevel3		1						- "for IMD: subsidiary risk according to IM..."
8246	00060	022		8246	00036	022		+ "X"
8255	00060	023		8255	00036	023		+ "X"
8179	00060	024		8179	00036	024		+ "1"
8211	00060	025		8211	00036	025		+ "X"
C289	00060	026		C289	00036	026		+ " "
8461	00060	027		8461	00036	027		+ "X"

EDI Guide 1			EDI Guide 2			* modified > moved		
						+ added - deleted		
Obj	Se	Nr pos	Obj	Se	Nr pos	<> not equal		
=====								
FTX	00061	000	FTX	00037	000	*		
.MaxRep		1				-	"1"	
.Name		2				-	"Free text (AAD)"	

4451	00061	000	4451	00037	000	*	"AAD" <> "AAA"	
.Code		1				-	"AAD;Dangerous goods technical name"	

4453	00061	001	4453	00037	001			
.Status		1				-	"X"	

4441	00061	003	4441	00037	003			
.Semantic		1				-	"GOODS_HAZARD_LIMITED_QUANTITIES_INDICATO..."	
.Semantic		2				-	"GOODS_HAZARD_EXCEPTED_QUANTITIES_INDICAT..."	
.UserCode		3				-	"TLQ;Transport of dangerous goods in limi..."	
.UserCode		4				-	"TEQ;Transport of dangerous goods in exce..."	
.Level3		5				-	"TLQ" and "TEQ" to be used only when GOO..."	
.UserCode		6				-	"1;Crude Oils"	
.UserCode		7				-	"2;Fuel and residual oils, including ship..."	
.UserCode		8				-	"3;Unfinished distallates, hydrolic oils ..."	
.UserCode		9				-	"4;Gas oils, including ship's bunkers"	
.UserCode		10				-	"5;Kerosines"	
.UserCode		11				-	"6;Naphtas and condensates"	
.UserCode		12				-	"7;Gasoil blending stocks"	
.UserCode		13				-	"8;Gasoline and spirits"	
.UserCode		14				-	"9;Asphalt solutions"	
.Level3		15				-	"1" to "9" to be used only when GOODS_HA..."	

C108	00061	006	C108	00037	006			
.Status		1				-	"R"	

4440	00061	007	4440	00037	007			
.Semantic		1				-	"GOODS_HAZARD_CHEMICAL/TECHNICAL/SHIPPING..."	
.Mapping		2				-	"37;"	

3453	00061	012	3453	00037	012	+	"aa"	

4447	00061	013	4447	00037	013	+	"1"	

EDI Guide 1			EDI Guide 2					* modified	> moved
								+ added	- deleted
Obj	Se	Nr pos	Obj	Se	Nr pos			<> not equal	
FTX	00062	000							

EDI Guide 1			EDI Guide 2			* modified		> moved	
						+ added		- deleted	
Obj	Se	Nr pos	Obj	Se	Nr pos	<> not equal			
=====									
MEA	00063	000	MEA	00038	000	*			
.MaxRep		2	.MaxRep		1	*	"5" <> "4"		
.Desc		1				-	"A segment to specify a measurement of th..."		

6311	00063	000	6311	00038	000	*	"AAE" <> "AAA"		
.Code		1				-	"AAE;Measurement"		

C502	00063	001	C502	00038	001				
.Status		1				-	"R"		

6313	00063	002	6313	00038	002	*	"AEN" <> "AAD"		
.Status		1	.Status		1	*	"R" <> ""		
.Code		2				-	"AAA;Net weight"		
.Code		3				-	"AAB;Goods item gross weight"		
.Code		4				-	"AEN;Radioactive index of transport"		
.Code		5				-	"AEO;Radioactivity"		
.Code		6				-	"AFN;Net explosive weight"		
.Code		7				-	"AFO;Radioactive criticality safety index"		
.Code		10				-	"DN;Density"		
.Code		11				-	"TC;Temperature"		
.UserCode		12				-	"VIS;Viscosity"		
.UserCode		13				-	"MP;Melting Point"		
			.Code		2	+	"AAD;Consignment gross weight"		
			.Code		5	+	"AAN;Net tonnage of the vessel"		

6321	00063	003	6321	00038	003	+	"3"		

6155	00063	004	6155	00038	004	+	"1"		

6154	00063	005	6154	00038	005	+	"X"		

C174	00063	006	C174	00038	006				
.Status		1				-	"R"		

6411	00063	007	6411	00038	007	*	"4N" <> "10"		
.Status		1				-	"R"		
.Code		2				-	"4N;megabecquerel"		
.Code		3				-	"BQL;becquerel"		
.Code		4				-	"CEL;degree Celsius"		
.UserCode		5				-	"CST;Centistokes (Viscosity at 50 Degrees..."		
.Code		6				-	"CUR;curie"		
.Code		7				-	"GBQ;gigabecquerel"		
.Code		8				-	"GRM;gram"		
.Code		9				-	"KGM;kilogram"		
.UserCode		10				-	"NMB;Number. (Used for Radioactive index ..."		
.Code		11				-	"TNE;tonne (metric ton)"		
.Code		12				-	"MTQ;cubic metre"		
.Code		13				-	"MPA;megapascal"		
.UserCode		14				-	"TBQ;Tera Becquerel"		

6314	00063	008	6314	00038	008				
.Status		1				-	"R"		
.Name		2				-	"Measurement value"		
.Semantic		3				-	"GOODS_HAZARD_WEIGHT_GROSS"		
.Semantic		4				-	"GOODS_HAZARD_WEIGHT_NET"		
.Semantic		5				-	"GOODS_HAZARD_WEIGHT_NET_EXPLOSIVE"		
.Semantic		6				-	"GOODS_HAZARD_RADIOACTIVE_INDEX_OF_TRANSP..."		
.Semantic		7				-	"GOODS_HAZARD_RADIOACTIVE_CRITICALITY_SAF..."		
.Semantic		8				-	"GOODS_HAZARD_RADIOACTIVITY"		
.Mapping		9				-	"3;"		
.Mapping		10				-	"7;"		
.Mapping		11				-	"4;"		
.Mapping		12				-	"5;"		
.Mapping		13				-	"6;"		
.Mapping		14				-	"8;"		
.Mapping		15				-	"9;"		
.Mapping		16				-	"122;"		

6162	00063	009	6162	00038	009	+	"9"		

6152	00063	010	6152	00038	010	+	"9"		

6432	00063	011	6432	00038	011	+	"9"		

7383	00063	012	7383	00038	012	+	"1S"		

EDI Guide 1			EDI Guide 2			* modified			> moved
-----			-----			+ added			- deleted
Obj	Se	Nr pos	Obj	Se	Nr pos	<> not equal			
=====			=====						
			MEA	00039	000				

EDI Guide 1			EDI Guide 2			* modified		> moved
						+ added		- deleted
Obj	Se	Nr pos	Obj	Se	Nr pos	<> not equal		
LOC	00064	000	LOC	00040	000	*		
3227	00064	000	3227	00040	000	*"147" <> "1"		
.Code		1				- "147;Transport means stowage location"		
C517	00064	001	C517	00040	001			
.Status		1				- "R"		

3225	00064	002		3225	00040	002		
.Status		1						- "R"
.Semantic		2						- "GOODS HAZARD AT STOWAGE_PLACE_MAIN"
.Level2		3						- "(MARPOL changes/additions:)"
.Level3		4						- "For container vessels: BBBRRTT. If bay n..."
.Level3		5						- "For Ro/Ro vessels: DECK/LANE/POSITION(FO..."
.Level3		6						- "For General cargo vessels 3 to 9 charact..."
.Level4		7						- "First 3 characters (mandatory) for the h..."
.Level4		8						- "Second 3 characters (optional) for the i..."
.Level4		9						- "Third 3 charaters (optional) for a furth..."
.Level3		10						- "For tanker vessels (MARPOL changes/additi..."
.Level3		11						- "For Bulk Carriers (MARPOL changes/additi..."

1131	00064	003		1131	00040	003		- "X"
3055	00064	004		3055	00040	004		- "X"
3224	00064	005		3224	00040	005		- "X"
3223	00064	007		3223	00040	007		- "an..25"
.Format		1						- "First related location name code"
.Name		2						- "GOODS HAZARD AT STOWAGE_PLACE_MAIN "
.Semantic		3						- "HATCHCOVER_NUMBER"
.Semantic		4						
1131	00064	008		1131	00040	008		- "X"
.Status		1						
3055	00064	009		3055	00040	009		- "X"
.Status		1						
3222	00064	010		3222	00040	010		- "GOODS_HAZARD_AT_STOWAGE_PLACE_MAIN "
.Semantic		1						- "HATCHCOVER_STATUS"
.Semantic		2						
C553	00064	011		C553	00040	011		- "X"
3233	00064	012		3233	00040	012		- "X"
1131	00064	013		1131	00040	013		- "X"
3055	00064	014		3055	00040	014		- "X"
3232	00064	015		3232	00040	015		- "X"
5479	00064	016		5479	00040	016		- "X"

EDI Guide 1				EDI Guide 2					*	modified	>	moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos		+	added	-	deleted
RFF	00065	000		RFF	00041	000			<	not equal		
1153	00065	001		1153	00041	001			*	"ALF" <> "AAA"		
.Code		1							-	"ALF;Authorization number for exception t..."		
1154	00065	002		1154	00041	002						
.Status		1							-	"R"		
.Semantic		2							-	"GOODS_HAZARD_AUTHORIZATION_NUMBER"		
.Mapping		3							-	"123;"		
1156	00065	003		1156	00041	003			-	"X"		
1056	00065	004		1056	00041	004			-	"X"		
1060	00065	005		1060	00041	005			-	"X"		

EDI Guide 1				EDI Guide 2					*	modified	>	moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos		+	added	-	deleted
SGP	00066	000		SGP	00042	000			<	not equal		
8260	00066	001		8260	00042	001						
.Status		1							-	"R"		
.Semantic		2							-	"GOODS_HAZARD_IN_CONTAINER_ID_PREFIX_&_NO"		
.Mapping		3							-	"124;"		
1131	00066	002		1131	00042	002			-	"X"		
3055	00066	003		3055	00042	003			-	"X"		
3207	00066	004		3207	00042	004			-	"AD"		
7224	00066	005		7224	00042	005						
.Name		1							-	"Number of packages"		
.Semantic		2							-	"GOODS_HAZARD_IN_CONTAINER_PACKAGE_TOTAL_..."		
.Mapping		3							-	"125;"		

EDI Guide 1				EDI Guide 2					*	modified	>	moved
Obj	Se	Nr	pos	Obj	Se	Nr	pos		+	added	-	deleted
LOC	00067	000		LOC	00043	000			<	not equal		
3227	00067	000		3227	00043	000			*	"147" <> "1"		

.Code		1				- "147;Transport means stowage location"
C517	00067	001 C517		00043	001	
.Status		1			- "R"	
3225	00067	002 3225		00043	002	
.Status		1			- "R"	
.Semantic		2			- "EQUIPMENT_AT_STOWAGE_PLACE"	
.Level3		3			- "(See attribute definition for recommende..."	
.Mapping		4			- "126;"	
1131	00067	003 1131		00043	003 + ""	
3055	00067	004 3055		00043	004 + ""	
3224	00067	005 3224		00043	005 + "X"	
3223	00067	007 3223		00043	007	
.Format		1			- "an..25"	
.Name		2			- "First related location name code"	
.Semantic		3			- "EQUIPMENT_AT_STOWAGE_PLACE_MAIN_HATCH_CO..."	
1131	00067	008 1131		00043	008	
.Status		1			- "X"	
3055	00067	009 3055		00043	009	
.Status		1			- "X"	
3222	00067	010 3222		00043	010	
.Semantic		1			- "EQUIPMENT_AT_STOWAGE_PLACE_MAIN_HATCH_CO..."	
C553	00067	011 C553		00043	011 + ""	
3233	00067	012 3233		00043	012 + "X"	
1131	00067	013 1131		00043	013 + ""	
3055	00067	014 3055		00043	014 + ""	
3232	00067	015 3232		00043	015 + "X"	
5479	00067	016 5479		00043	016 + "X"	

.Name	2			Measurement value"
.Semantic	3			"GOODS_HAZARD_IN_CONTAINER_WEIGHT_GROSS"
.Semantic	4			"GOODS_HAZARD_IN_CONTAINER_WEIGHT_NET"
.Semantic	5			"GOODS_HAZARD_IN_CONTAINER_WEIGHT_NET_EXP..."
.Semantic	6			"GOODS_HAZARD_IN_CONTAINER_RADIOACTIVE_IN..."
.Semantic	7			"GOODS_HAZARD_IN_CONTAINER_RADIOACTIVE_CR..."
.Semantic	8			"GOODS_HAZARD_IN_CONTAINER_RADIOACTIVITY"
.Mapping	9			"127;"
.Mapping	10			"128;"

6162	00068	009		6162	00044	009		+	"9"
6152	00068	010		6152	00044	010		+	"9"
6432	00068	011		6432	00044	011		+	"9"
7383	00068	012		7383	00044	012		+	"1S"

EDI Guide 1			EDI Guide 2			* modified		> moved
Obj	Se	Nr pos	Obj	Se	Nr pos	+	added	- deleted
UNT			UNT			<> not equal		
0074	00069	000		0074	00045	000		*
.Id		1						"455;"

Detected differences: 995

Notes

EDI Guide 1	EDI Guide 2	x Used
.Status	.Status	x
.MaxRep	.MaxRep	x
.Format	.Format	
.Code	.Code	x
.Name	.Name	
.Desc	.Desc	
.Remark	.Remark	x
??	??	
.ExternCoLi	.ExternCoLi	
.UserCode	.UserCode	x
.BSU	.BSU	
.Id	.Id	
.Mapping	.Mapping	
.Inbound	.Inbound	
.Outbound	.Outbound	
.Edi2Printer	.Edi2Printer	
.XML	.XML	
.Check	.Check	
.ErrorMsg	.ErrorMsg	
.Example	.Example	
.File	.File	
.Level1		
.Level2		
.Level3		
.Comment		
.Semantic		
.FunctionalGroup		
.SeRef1		
.SeRef2		
.CodeLevel1		
.CodeLevel2		
.CodeLevel3		
.CodeName		
.CodeDesc		
.Level4		
.Level5		
.Level6		
.Level7		
.Level8		
.Level9		
.Level10		
.Level11		
.Level12		
.Level13		
.Level14		
.Level15		
.Level16		
.Level17		
.Level18		
.Level19		
.Level20		
.Level21		
.Level22		
.Level23		
.Level24		
.Level25		
.Level26		

Character sets

EDI Guide 1	EDI Guide 2
-------------	-------------

UNOC

| UNOC

|

Report files

EDI Guide 1 | EDI Guide 2 | | * Properties changed

Bi A 01 - Message Str		
Bi A 02 - Branching D		
Bi A 03 - Segment Gro		
Bi A 03 - Segments (p		
Bi A 03 - Segments (p		
Bi A 03 - Segments (p		
Bi H 01 - Message Str		
Bi H 02 - Branching D		
Bi H 03 - Segments (h		
En 00 - Cover (print)	En 00 - Cover (print)	*
En 00 - Start (html).	En 00 - Start (html).	*
	De 00 - Cover (print)	
	De 00 - Start (html).	
	De A 01 - Nachrichten	
	De A 02 - Nachrichten	
	De A 03 - Segmentbesc	
	De H 01 - Nachrichten	
	De H 02 - Nachrichten	
	De H 03 - Segmentbesc	
	En A 01 - Message Str	
	En A 02 - Branching D	
	En A 03 - Segments (p	
	En H 01 - Message Str	
	En H 02 - Branching D	
	En H 03 - Segments (h	

Layout files

EDI Guide 1 | EDI Guide 2 | | * Size/date changed

Bi A 01 - Message Str		
Bi A 02 - Branching D		
Bi A 03 - Segment Gro		
Bi A 03 - Segments (p		
Bi H 01 - Message Str		
Bi H 02 - Branching D		
Bi H 03 - Segments (h		
Bi A 03 - Segments (p		
Bi A 03 - Segments (p		
En 00 - Cover (print)	En 00 - Cover (print)	*
En 00 - Start (html).	En 00 - Start (html).	*
	De 00 - Cover (print)	
	De 00 - Start (html).	
	De A 01 - Nachrichten	
	De A 02 - Nachrichten	
	De A 03 - Segmentbesc	
	De H 01 - Nachrichten	
	De H 02 - Nachrichten	
	De H 03 - Segmentbesc	
	En A 01 - Message Str	
	En A 02 - Branching D	
	En A 03 - Segments (p	
	En H 01 - Message Str	
	En H 02 - Branching D	
	En H 03 - Segments (h	